



SPEC SHEET

Speedee Serv® Speedline Merchandising Cabinet



Specifications

Top is 16 gauge 304 stainless steel #4 finish. Front and back edges are turned down 102° and turned back 90° eliminating the gap between the top and the base of the cabinet. The ends are turned down 90° flush with cabinet base, this eliminates any open space between G.A. Systems cabinets. The top is secured to the base with 4 stainless steel flush head screws. One 3/4" diameter pin is welded at each end of the top. Each pin has two 5/16" diameter holes. The lower hole is used to join adjacent G.A. Systems cabinets.

Body of cabinet is fabricated of 1" square 18 gauge stainless steel and cold rolled tubing to form the top and bottom frames. Each is welded to 1-1/2" square 18 gauge stainless steel corner posts. Each corner post is capped. All joints are welded with all exposed welds being ground and polished. 20 gauge galvanized body panels are welded to tubing super structure.

Exterior front, back and ends are trimmed with 22 gauge stainless steel #4 finish trim to accept laminated color panels. Laminate is applied to 1/8" board for additional strength.

Bottom is fully enclosed. There is a 3-3/4" clearance from the bottom of the cabinet to the floor. Plate type 3" swivel non-marking casters with brakes. Cabinet heights are ADA compliant.

Sliding doors are available on cabinets 48" long or longer. The doors have stainless steel flush mounted handles on the front side and are finished with high pressure laminate and slide smoothly on an upper and lower track.

Stainless steel hinge door is available on cabinets under 48" long. The hinge door is fabricated of 18 gauge stainless steel #4 finish. The hinge door has two flag hinges with a stainless steel pull handle.

PROJECT: _____

ITEM #: _____

MODEL: _____

Standard Features

- Locking pins, one at each end
- Plate type 3" swivel non-marking casters with brakes

Options

- No pins
- Top heavier gauge (support weight if needed)
- Solid Surface Top (in lieu of stainless steel top)

Accessories

- Tray Slide Stainless Steel
- Tray Slide Solid Surface
- Double Sided Sneeze Guard Glass
- Double Sided Sneeze Guard Acrylic
- Single Sided Sneeze Guard Glass
- Single Sided Sneeze Guard Acrylic
- Single Sided Self Serving Sneeze Guard Acrylic
- Merchandise Display Rack Single
- Merchandise Display Rack Double
- Merchandise Display Rack Half
- Display Shelf Double (stainless steel)
- Single Display Shelf (glass)
- Cash Shelf 15"
- Cash Shelf 20"
- Cash Shelf 24"
- Tray Shelf 12"
- Tray Shelf 15"
- Tray Shelf 18"
- Toe Kick
- Heated Display
- Intermediate Shelf / C0385
- Premium High Pressure Laminate
- Graphic Panels Stand-off
- Graphic Panels Vinyl
- Work Shelf
- Lid slide insert (D5430 / C0159 only)
- Doors Sliding / C0380
- Doors Hinge / C0701




Intertek
4003279

Conforms to NSF Std. #2



Rev 07/2019




Speedline Merchandising Cabinet




TOP VIEW



END VIEW



BACK VIEW



FRONT VIEW



Speedline Merchandising Cabinet

Dimensions Standard Height

ITEM	MODEL	A = LL	B = WW	C = H	Wt Lbs
C1138	D1830	18"	30-3/8"	34"	
C1147	D1930	19"	30-3/8"	34"	
C0408	D2030	20"	30-3/8"	34"	
C0462	D2430	24"	30-3/8"	34"	
C1064	D2436	24"	36-3/8"	34"	
C0938	D2730	27"	30-3/8"	34"	
C0459	D3030	30"	30-3/8"	34"	
C0674	D3230	32"	30-3/8"	34"	
C1066	D3430	34"	30-3/8"	34"	
C0154	D3630	36"	30-3/8"	34"	
C1031	D3636	36"	36-3/8"	34"	
C0179	D3648	36"	48"	34"	
C0478	D4030	40"	30-3/8"	34"	
C0406	D4130	41"	30-3/8"	34"	
C1029	D4230	42"	30-3/8"	34"	
C0322	D4430	44"	30-3/8"	34"	
C0155	D4830	48"	30-3/8"	34"	100
C0156	D4836	48"	36-3/8"	34"	125
C0670	D5330	53"	30-3/8"	34"	
C0159	D5430	54"	30-3/8"	34"	100
C0160	D5436	54"	36-3/8"	34"	150
C0163	D6030	60"	30-3/8"	34"	
C0110	D6330	63"	36-3/8"	34"	
C0985	D6336	63"	36-3/8"	34"	
C0983	D6830	68"	30-3/8"	34"	
C0530	D7230	72"	30-3/8"	34"	
C0964	D7236	72"	36-3/8"	34"	
C1033	D7630	76"	30-3/8"	34"	
C0773	D7830	78"	30-3/8"	34"	
C0454	D7936	79"	36-3/8"	34"	
C0671	D8130	81"	30-3/8"	34"	
C0774	D8430	84"	30-3/8"	34"	
C0611	D9130	91"	30-3/8"	34"	
C1021	D9630	96"	30-3/8"	34"	
C0790	D11430	114"	30-3/8"	34"	
C0963	D13830	138"	30-3/8"	34"	

Elementary Height

ITEM	MODEL	A = LL	B = WW	C = H	Wt Lbs
C1116	ED2430	24"	30-3/8"	31-1/2"	
C1201	ED2436	24"	36-3/8"	31-1/2"	
C1103	ED3030	30"	30-3/8"	31-1/2"	
C1180	ED3636	36"	36-3/8"	31-1/2"	
C1104	ED4430	44"	30-3/8"	31-1/2"	
C0157	ED4830	48"	30-3/8"	31-1/2"	100
C0158	ED4836	48"	36-3/8"	31-1/2"	125
C0161	ED5430	54"	30-3/8"	31-1/2"	125
C0162	ED5436	54"	36-3/8"	31-1/2"	150
C0687	ED6030	60"	30-3/8"	31-1/2"	
C1210	ED6330	63"	30-3/8"	31-1/2"	
C0514	ED6830	68"	30-3/8"	31-1/2"	